

From: [Linda Henry](#)
To: [Garyg.Miller/R6/USEPA/US@EPA](#)
Subject: RE: SJRWP-Screening Level Ecological Risk Assessment
Date: 04/03/2012 11:21 AM

Thank you, Gary. This is very helpful.

Linda Henry
Associate General Counsel
Port of Houston Authority
111 East Loop North
Houston, TX 77029
713-670-2663

CONFIDENTIAL COMMUNICATION

This message and attached materials are for the use of the addressee above and may contain privileged and/or confidential information. Please do not disseminate, distribute, or copy this message unless you are the addressee. If you received this message in error, please immediately notify the sender by replying to this message or by telephone at (713) 670-2663. Thank you.

From: Garyg Miller [mailto:Miller.Garyg@epamail.epa.gov]
Sent: Tuesday, April 03, 2012 11:16 AM
To: Linda Henry
Cc: Nicole Hausler; Garry McMahan
Subject: Re: SJRWP-Screening Level Ecological Risk Assessment

Linda,

Yes, the SLERA was Appendix B of the Final RI/FS Work Plan - attached.

Regards,

Gary Miller, P.E. (inactive)
Remedial Project Manager
(214) 665-8318
email: miller.garyg@epa.gov

From: Linda Henry <lhenry@poha.com>
To: Garyg Miller/R6/USEPA/US@EPA
Cc: Nicole Hausler <NCass@poha.com>, Garry McMahan <gmcMahon@poha.com>
Date: 04/03/2012 07:44 AM
Subject: SJRWP-Screening Level Ecological Risk Assessment

Gary,

Would you please let me know whether a Screening Level Ecological Risk Assessment has been done, and if so, where we might find it? Thanks for your help.

Linda Henry
Associate General Counsel
Port of Houston Authority
111 East Loop North
Houston, TX 77029
713-670-2663

CONFIDENTIAL COMMUNICATION

This message and attached materials are for the use of the addressee above and may contain privileged and/or confidential information. Please do not disseminate, distribute, or copy this message unless you are the addressee. If you received this message in error, please immediately notify the sender by replying to this message or by telephone at (713) 670-2663. Thank you.